



**SWEP**  
PTY. LTD.

**ANALYTICAL  
LABORATORIES**

ABN 26 005 031 569

Tel: (03) 9701 6007  
Fax: (03) 9701 5712

REPORT ON SAMPLE OF FERTILIZER

FILE NO : 040131211

DATE ISSUED : 9/23/2004

**KISMET INTERNATIONAL PTY LTD**  
49 FIELD ST  
SHEPPARTON, VIC 3630

CLIENT ID : KISMET  
PHONE : 03 5821 1100

SAMPLE ID : REEFSAFE  
DiCALCIUM PHOSPHORUS - CALCIUM & SILICA - FERTILIZER

REFERENCE ID : KISMET  
PHONE : 03 5821 1100

ANALYSIS REQUIRED : Full

DATE RECEIVED : 23/01/2004  
SOURCE:

ITEMS	ABBREVIATION	UNIT	RESULTS
TOTAL NITROGEN	N	%	0.1
TOTAL PHOSPHORUS	P	%	13.14
TOTAL POTASSIUM	K	%	0.1
TOTAL SULPHUR	S	%	0.34
TOTAL CALCIUM	Ca	%	27.1
TOTAL MAGNESIUM	Mg	%	0.16
TOTAL SODIUM	Na	%	0.07
TOTAL IRON	Fe	ppm	3.73
TOTAL MANGANESE	Mn	ppm	1.79
TOTAL ZINC	Zn	ppm	907
TOTAL COPPER	Cu	ppm	309.1
TOTAL COBALT	Co	ppm	18.43
TOTAL BORON	B	ppm	47.48
TOTAL MOLYBDENUM	Mo	ppm	16.63
pH	1:5 Water		7.9
Electrical Conductivity		µS/cm	270
TOTAL ORGANIC CARBON	OC	%	15.15
TOTAL SILICA	Si	%	16.24
TOTAL ALUMINIUM	Al	%	3.9
TOTAL CADMIUM	Cd	ppm	< 2
TOTAL LEAD	Pb	ppm	< 10
TOTAL MERCURY	Hg	ppm	< 0.03